




VEHICLE FASTENERS, ACCESSORIES



OVERCENTRE LATCH



Overcentre latch RB34
with spring and round bracket,
zinc plated
Article number: 6S5719.001




Overcentre latch RB48
with spring and round bracket,
zinc plated
Article number: 6S5656.001



Overcentre latch SRB32
lockable,
with round bracket, zinc plated
Article number: 6S5789.001



CATCH PLATE



Catch plate A30
zinc plated stamped steel
Article number: 6S5756.001




Catch plate B30
cranked, zinc plated
Article number: 6X0015.007




Catch plate C30
straight, zinc plated
Article number: 6S5751.001



Catch plate C35
right angle, zinc plated
Article number: 6S5754.001





LATCH



Overcentre latch SVB20
with flat bracket
lockable, zinc plated
Article number: 6S5673.001




Overcentre latch SVBA36
with flat bracket
lockable, zinc plated
Article number: 6S5672.001




Overcentre latch SVBB36
with flat bracket
lockable, zinc plated
Article number: 6S5674.001

CATCH PLATE



Catch plate B20
zinc plated
Article number: 6S5753.001




Catch plate B35
zinc plated
Article number: 6S5757.001

Lock-complement compatibility recommendations

Complement	6S5756.001	6X0015.007	6S5751.001	6S5754.001	6S5753.001	6S5757.001	6S5752.001	6S5755.001	6S5767.001	6S5758.001
Lock										
6S5719.001	✓	✓	✓							
6S5656.001				✓						
6S5789.001	✓	✓	✓							
6S5673.001					✓					
6S5672.001						✓				
6S5674.001						✓				
6S5779.001						✓				
6S5778.001						✓				
6S5692.001						✓				
6S5684.001							✓	✓		
6S5762										✓
6S5766										✓
6S5770									✓	



LATCH



Overcentre latch FVBA46
with spring and flat bracket,
zinc plated
Article number: 6S5779.001





Overcentre latch FVBB46
with spring and flat bracket,
zinc plated
Article number: 6S5778.001



Overcentre latch FVB35
with spring and flat bracket,
zinc plated
Article number: 6S5692.001




LATCH, HOOK



Spring latch L=31mm
with plastic handle
zinc plated
Article number: 6S5716.001




Adjustable overcentre latch FVS15
with spring, zinc plated
Article number: 6S5684.001



Engaging hook A11
straight, zinc plated
Article number: 6S5752.001



Engaging hook B11
curved, zinc plated
Article number: 6S5755.001



LOCKING DEVICE



left




right

Angle lever lock WHV


zinc plated

Article number: 6S5762.001 left

6S5762.002 right



left



right



Bow lock, BV1

base plate: 70×70 mm

zinc plated

Article number: 6S5766.001 left

6S5766.002 right

BOW LOCK

left



right





Bow lock, BV0

base platet: 60×60 mm

zinc plated

Article number: 6S5770.001 left


6S5770.002 right



Eyelet, E0

zinc plated

Article number: 6S5767.001




Eyelet, E1

zinc plated



Article number: 6S5758.001

LASHING RING




Lashing ring + cleat
D-ring
zinc plated, 250daN
Article number: 6S5702.001

Lashing ring + cleat
triangular ring
zinc plated, 250daN
Article number: 6S5707.001




Recessed lashing ring,
sprung eye, rectangular base
zinc plated, 250daN
Article number: 6S5727.001

Recessed lashing ring,
oval, zinc plated, 250daN
Article number: 6S5726.001





LAMP BRACKET



Lamp holder
zinc plated
Article number: 6S5700.001




Lamp holder with bores
zinc plated
Article number: 6S5701.001




Lashing ring + cleat
triangular ring, round base
zinc plated 250daN
Article number: 6S5741.001


HINGE



Hinge 310
zinc plated, for Ø16 mm pin
Article number: 6S5738.001




Hinge 260
zinc plated, for Ø16 mm pin
Article number: 6S5738.002



Hinge pin Ø16 mm
natur forged steel, weld on
Article number: 6S5739.001



LASHING RING, CATCH PLATE



Lashing ring + cleat
D-ring
zinc plated, 250daN
Article number: 6S5780.001




Door spring latch FRS19
for premium trailer bodies
polished stainless steel
Article number: 6S5838.001




Catch plate D30
for FRS19
polished stainless steel
Article number: 6S5846.001



HINGE




Hinge L=60 mm
for premium trailer bodies
corrosion resistant
spring bounding (4×60°)
Article number: 6X0827.017



hole pattern



Hinge L=110 mm
for premium trailer bodies
corrosion resistant
spring bounding (4×60°)
Article number: 6X0827.016



hole pattern



Both types can be fixed in 4 position
(60 degrees) with the bump buffer
within the 240 degree range.


WATER RESISTANT TIGHT BONDED PLATFORM

Article number	Thickness mm	Size of plate mm	Sign	Packaging pcs/pallet
6X0835.001	9	1250x2500	J/NY	65
6X0835.002	12	1250x2500	J/NY	50
6X0835.003	15	1250x2500	J/NY	40
6X0835.004	18	1250x2500	J/NY	35
6X0835.005	21	1250x2500	J/NY	30
6X0835.007	9	1500x2500	J/W	65
6X0835.008	12	1250x2500	J/W	50
6X0835.009	15	1250x2500	J/W	40
6X0835.010	18	1250x2500	J/W	30
6X0835.021	9	1500x3000	J/W	65
6X0835.022	12	1500x3000	J/W	50
6X0835.023	15	1500x3000	J/W	40
6X0835.024	18	1500x3000	J/W	30



9-21mm thickness, waterproof glued (AW 100), coated with phenol-pellicle on both side (120g/m²), non-skid surfacing in one-side (screen printed), both edge handled.
One side patterned, one side smooth. Apparent density: 690kg/m³

SLEEWING RING



Nr.	Type	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	G (mm)	H (mm)	Load capacity max. (kg)	Article number
1	400 Type1	400	400	310	292	375	375	6	55	750	6X1028.005
2	500 Type1	500	500	410	392	475	475	6	55	1000	6X1028.006
3	650 Type2	650	650	568	543	625	625	7	65	1700	6X1028.004
4	650 L	650	592	542	480	625	510	8	45	1500	6X1028.007
5	850 N	850	787	734	665	825	690	8	52	3500	6X1028.003

For agricultural trailers and internal transportation up to 25km/h

WHEEL FOR TRAILERS

Tyre

Type	Load capacity (kg) at 140km/h	Article number
Tyre 155/80 R13	437	6X0352.009
Tyre 165 R13C	670	6X0352.010
Tyre 195/50 B10	750	6X0352.015
Tyre 185 R14 C	850	6X0352.017
Tyre 195/50 R13 C	900	6X0352.018
Tyre 165/70 R13	437	6X0352.025



Rim

Type	Pitch circle	Load capacity (kg) at 140km/h	Article number
Wheel disc 4 J×13" H2 ET30	100x4	575	6X0630.003
Wheel disc 4,5 J×13" H2 ET30	100x4	575	6X0630.002
Wheel disc 4,5 J×13" H2 ET30	112x5	675	6X0630.005
Wheel disc 4,5 J×13" ET0	112x5	900	6X0630.012
Wheel disc 4,5 J×12" ET30	112x5	900	6X0630.014
Wheel disc 5 J×13" H2 ET30	112x5	700	6X0630.006
Wheel disc 5,5 J×13" H2	112x5	900	6X0630.016
Wheel disc 5,5 J×14" H2 ET30	112x5	900	6X0630.001
Wheel disc 6 J×10"	112x5	750	6X0630.013
Wheel disc 6 J×14" H2 ET30	112x5	900	6X0630.004
Wheel disc 6 J×14" H2 ET30	205x6	1250	6X0630.007



100x4 pitch circle



112x5 pitch circle

Wheel

Type	Pitch circle	Load capacity kg	Towing speed max. [km/h]	Article number
4.00-8 ET 0	100x4	300	140	6X0698.035
5.00×10C	100x4	355	130	6X0698.023
155/70 R12	112x5	800	140	6X0698.014
155/70 R12C	112x5	900	140	6X0698.015
155/80 R13 ET30	100x4	437	190	6X0698.026
165 R13C	112x5	670	140	6X0698.009
165/70 R13 ET30	100x4	487	140	6X0698.006
165/80 R13	112x5	487	190	6X0698.008
185 R14 ET30	112x5	850	140	6X0698.004
195 R14 ET30	112x5	950	140	6X0698.005
195/50 B10 ET4	112x5	750	140	6X0698.007
195/50 R13C	112x5	900	140	6X0698.039
215 R14C	205x6	1120	140	6X0698.012

